
A Guide to

LATEX

and Electronic Publishing

Fourth edition

Helmut Kopka

Patrick W. Daly



Addison-Wesley

Harlow, England • Reading, Massachusetts • Menlo Park, California
New York • Don Mills, Ontario • Amsterdam • Bonn • Sydney • Singapore
Tokyo • Madrid • San Juan • Milan • Mexico City • Seoul • Taipei

© Addison Wesley Longman Limited 2004

Addison Wesley Longman Limited
Edinburgh Gate
Harlow
Essex CM20 2JE
England

and Associated Companies throughout the World.

The rights of Helmut Kopka and Patrick W. Daly to be identified as authors of this Work have been asserted by them in accordance with the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without either the prior written permission of the publisher or a licence permitting restricted copying in the United Kingdom issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London W1P 9HE.

The programs in this book have been included for their instructional value. They have been tested with care but are not guaranteed for any particular purpose. The publisher does not offer any warranties or representations nor does it accept any liabilities with respect to the programs.

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Addison Wesley Longman Limited has made every attempt to supply trademark information about manufacturers and their products mentioned in this book. A list of the trademark designations and their owners appears on page v.

Cover designed by Designers & Partners, Oxford
Typeset by the authors with the \LaTeX Documentation System
Printed in Great Britain by Henry Ling Ltd, at the Dorset Press, Dorchester, Dorset

First published 1993
Second edition 1995
Third edition 1999. Reprinted 1999, 2000
Fourth edition 2004

ISBN ????????????

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library

Library of Congress Cataloging-in-Publication Data

Kopka, Helmut.

A guide to \LaTeX : and Electronic Publishing
/ Helmut Kopka, Patrick W. Daly -- 4th ed.
p. cm.

Includes bibliographical references and index.

ISBN 0-201-39825-7

1. \LaTeX (Computer file) 2. Computerized typesetting. I. Daly, Patrick W. II. Title.

??????????????

??????????????

????????

CIP

Trademark notices

METAFONT™ is a trademark of Addison-Wesley Publishing Company.

T_EX™, $\mathcal{A}\mathcal{M}\mathcal{S}$ -T_EX™, and $\mathcal{A}\mathcal{M}\mathcal{S}$ -L^AT_EX™ are trademarks of the American Mathematical Society.

Lucida™ is a trademark of Bigelow & Holmes.

Microsoft®, MS-DOS®, Windows®, Internet Explorer® are registered trademarks of Microsoft Corporation.

PostScript®, Acrobat Reader®, Acrobat logo® are registered trademarks and PDF™ a trademark of Adobe Systems Incorporated.

UNIX® is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company, Limited.

VAX™ and VMS™ are trademarks of Digital Equipment Corporation.

IBM® is a registered trademark and techexplorer Hypermedia Browser™ a trademark of International Business Machines Corporation.

Netscape™ and Netscape Navigator™ are trademarks of Netscape Communications Corporation.

TrueType™ is a trademark and Apple® and Macintosh® are registered trademarks of Apple Computer Inc.

Preface

A new edition to *A Guide to L^AT_EX* begs the fundamental question: Has L^AT_EX changed so much since the appearance of the third edition in 1999 that a new release of this manual is justified?

The simple answer to that question is ‘Well . . .’ In 1994, the L^AT_EX world was in upheaval with the issue of the new version L^AT_EX 2_ε, and the second edition of the *Guide* came out just then to act as the bridge between the old and new versions. By 1998, the initial teething problems had been worked out and corrected through semi-annual releases, and the third edition could describe an established, working system. However, homage was still paid to the older 2.09 version since many users still employed its familiar syntax, although they were most likely to be using it in a L^AT_EX 2_ε environment. L^AT_EX has now reached a degree of stability that since 2000 the regular updates have been reduced to annual events, which often appear months after the nominal date, something that does not worry anyone. The old version 2.09 is obsolete and should no longer play any role in such a manual. In this fourth edition, it is reduced to an appendix just to document its syntax and usage.

But if L^AT_EX itself has not changed substantially since 1999, many of its peripherals have. The rise of programs like pdfT_EX and dvi_{pdfm} for PDF output adds new possibilities, which are realized, not in L^AT_EX directly, but by means of more modern *packages* to extend the basic features. The distribution of T_EX/L^AT_EX installations has changed, such that most users are given a complete, ready-to-run setup, with all the ‘extras’ that one used to have to obtain oneself. Those extras include user-contributed packages, many of which are now considered indispensable. Today ‘the L^AT_EX system’ includes much more than the basic kernel by Leslie Lamport, encompassing the contributions of hundreds of other people. This edition reflects this increase in breadth.

The changes to the fourth edition are mainly those of emphasis.

1. The material has been reorganized into ‘Basics’ and ‘Beyond the Basics’ (‘advanced’ sounds too intimidating) while the appendices contain topics that really can be skipped by most everyday users. Exception: Appendix H is an alphabetized command summary that many people find extremely useful (including ourselves).

This reorganizing is meant to stress certain aspects over others. For

example, the section on graphics inclusion and color was originally treated as an exotic freak, relegated to an appendix on extensions; in the third edition, it moved up to be included in a front chapter along with the `picture` environment and floats; now it dominates Chapter 6 all on its own, the floats come in the following Chapter 7, and `picture` is banished to the later Chapter 13. This is not to say that the `picture` features are no good, but only that they are very specialized. We add descriptions of additional drawing possibilities there too.

2. It is stressed as much as possible that \LaTeX is a *markup* language, with separation of content and form. Typographical settings should be placed in the preamble, while the body contains only logical markup. This is in keeping with the modern ideas of XML, where form and content are radically segregated.
3. Throughout this edition, contributed packages are explained at that point in the text where they are most relevant. The `fancyhdr` package comes in the section on page styles, `natbib` where literature citations are explained. This stresses that these ‘extensions’ are part of the \LaTeX system as a whole. However, to remind the user that they must still be explicitly loaded, a marginal note is placed at the start of their descriptions.
4. PDF output is taken for granted throughout the book, in addition to the classical DVI format. This means that the added possibilities of `pdf \TeX` and `dvipdfm` are explained where they are relevant. A separate Chapter 10 on PostScript and PDF is still necessary, and the best interface to PDF output, the `hyperref` package by Sebastian Rahtz, is explained in detail. PDF is also included in Chapter 15 on presentation material.
On the other hand, the other Web output formats, HTML and XML, are only dealt with briefly in Appendix E, since these are large topics treated in other books, most noticeably the *\LaTeX Web Companion*.
5. This book is being distributed with the \TeX Live CD, with the kind permission of Sebastian Rahtz who maintains it for the \TeX Users Group. It contains a full \TeX and \LaTeX installation for Windows, Macintosh, and Linux, plus many of the myriad extensions that exist.

We once again express our hope that this *Guide* will prove more than useful to all those who wish to find their way through the intricate world of \LaTeX . And with the addition of the \TeX Live CD, that world is brought even closer to their doorsteps.

Helmut Kopka and Patrick W. Daly
June, 2003

Contents

Preface	vii
I Basics	1
1 Introduction	3
1.1 Just what is L ^A T _E X?	3
1.2 Markup Languages	4
1.3 T _E X and its offspring	6
1.4 How to use this book	10
1.5 Basics of a L ^A T _E X file	11
1.6 T _E X processing procedure	14
2 Text, Symbols, and Commands	17
2.1 Command names and arguments	17
2.2 Environments	19
2.3 Declarations	20
2.4 Lengths	21
2.5 Special characters	22
2.6 Exercises	27
2.7 Fine-tuning text	28
2.8 Word division	34
3 Document Layout and Organization	37
3.1 Document class	37
3.2 Page style	42
3.3 Parts of the document	52
3.4 Table of contents	58
4 Displayed Text	61
4.1 Changing font	61
4.2 Centering and indenting	67
4.3 Lists	69
4.4 Generalized lists	74
4.5 Theorem-like declarations	80

4.6	Tabulator stops	81
4.7	Boxes	85
4.8	Tables	95
4.9	Printing literal text	110
4.10	Footnotes and marginal notes	112
4.11	Comments within text	118
5	Mathematical Formulas	119
5.1	Mathematical environments	119
5.2	Main elements of math mode	120
5.3	Mathematical symbols	124
5.4	Additional elements	130
5.5	Fine-tuning mathematics	145
5.6	Beyond standard L ^A T _E X	151
6	Graphics Inclusion and Color	153
6.1	The graphics packages	153
6.2	Adding color	166
7	Floating tables and figures	169
7.1	Float placement	169
7.2	Postponing floats	171
7.3	Style parameters for floats	171
7.4	Float captions	173
7.5	Float examples	174
7.6	References to figures and tables in text	177
7.7	Some float packages	178
8	User Customizations	181
8.1	Counters	181
8.2	Lengths	184
8.3	User-defined commands	185
8.4	User-defined environments	195
8.5	Some comments on user-defined structures	200
II	Beyond the Basics	205
9	Document Management	207
9.1	Processing parts of a document	207
9.2	In-text references	213
9.3	Bibliographies	216
9.4	Keyword index	225

10 PostScript and PDF	231
10.1 \LaTeX and PostScript	231
10.2 Portable Document Format	236
11 Multilingual \LaTeX	251
11.1 The babel system	252
11.2 Contents of the language.dat file	256
12 Math Extensions with $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$	257
12.1 Invoking $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$	258
12.2 Standard features of $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$	258
12.3 Further $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$ packages	280
12.4 The $\mathcal{A}\mathcal{M}\mathcal{S}$ fonts	283
13 Drawing with \LaTeX	287
13.1 The picture environment	287
13.2 Extended pictures	302
13.3 Other drawing packages	307
14 Bibliographic Databases and $\text{Bib}\TeX$	309
14.1 The $\text{Bib}\TeX$ program	309
14.2 Creating a bibliographic database	311
14.3 Customizing bibliography styles	321
15 Presentation Material	323
15.1 Slide production with $\text{Sl}\TeX$	324
15.2 Slide production with seminar	330
15.3 Electronic documents for screen viewing	340
15.4 Special effects with PDF	343
16 Letters	351
16.1 The \LaTeX letter class	351
16.2 A house letter style	356
16.3 A model letter customization	359

Appendices

A The New Font Selection Scheme (NFSS)	367
A.1 Font attributes under NFSS	368
A.2 Simplified font selection	370
A.3 Installing fonts with NFSS	372

B	The L^AT_EX Clockwork	381
B.1	Installing L ^A T _E X	381
B.2	Obtaining the Adobe euro fonts	387
B.3	T _E X directory structure	387
B.4	The CTAN server	389
B.5	Additional standard files	391
B.6	The various L ^A T _E X files	396
C	Error Messages	401
C.1	Basic structure of error messages	401
C.2	Some sample errors	409
C.3	List of L ^A T _E X error messages	415
C.4	T _E X error messages	424
C.5	Warnings	429
C.6	Search for subtle errors	435
D	L^AT_EX Programming	437
D.1	Class and package files	437
D.2	L ^A T _E X programming commands	440
D.3	Sample packages	451
D.4	Changing preprogrammed text	459
D.5	Direct typing of special letters	461
D.6	Alternatives for special symbols	462
D.7	Managing code and documentation	462
E	L^AT_EX and World Wide Web	475
E.1	Converting to HTML	476
E.2	The Extensible Markup Language: XML	478
E.3	The texexplorer Hypermedia Browser	481
F	Obsolete L^AT_EX	483
F.1	The 2.09 preamble	483
F.2	Font selection	484
F.3	Obsolete means obsolete	485
G	T_EX Fonts	487
G.1	Font metrics and bitmaps	487
G.2	Computer Modern fonts	488
G.3	The METAFONT program	497
G.4	Extended Computer fonts	498
G.5	PostScript fonts	503
G.6	Computer Modern as PostScript fonts	505

H Command Summary	507
H.1 Brief description of the \LaTeX commands	507
H.2 Summary tables and figures	595
Bibliography	605
Index	607

List of Tables

10.1 The <code>psnfss</code> packages and their fonts	234
10.2 Acrobat menu actions	248
A.1 The NFSS encoding schemes	368
A.2 The NFSS <i>series</i> attributes	369
A.3 Attributes of the Computer Modern fonts	370
D.1 Input coding schemes for <code>inputenc</code> package	462
D.2 Alternative commands for special symbols	463
G.1 Computer Modern text fonts	491
G.2 Root names of the 35 standard PostScript fonts	504
G.3 Encoding suffixes	505
H.1 Font attribute commands	595
H.2 Math alphabet commands	595
H.3 Font sizes	595
H.4 \LaTeX 2.09 font declarations	595
H.5 Dimensions	596
H.6 Accents	596
H.7 Special letters from other languages	596
H.8 Special symbols	596
H.9 Command symbols	596
H.10 Greek letters	596
H.11 Binary operation symbols	597
H.12 Relational symbols	597
H.13 Negated relational symbols	597
H.14 Brackets	597
H.15 Arrows	598
H.16 Miscellaneous symbols	598
H.17 Mathematical symbols in two sizes	598
H.18 Function names	598
H.19 Math accents	599
H.20 \mathcal{AMS} arrows	599
H.21 \mathcal{AMS} binary operation symbols	599

H.22	\mathcal{AMS} Greek and Hebrew letters	600
H.23	\mathcal{AMS} delimiters	600
H.24	\mathcal{AMS} relational symbols	600
H.25	\mathcal{AMS} negated relational symbols	601
H.26	Miscellaneous \mathcal{AMS} symbols	601

List of Figures

1.1	Sample display with the WinEdt editor	16
3.1	Page layout parameters	48
3.2	Sample title page	53
4.1	The <code>list</code> parameters	76
6.1	An embellished image file	160
10.1	Output produced by pdf \TeX with the <code>hyperref</code> package . .	240
13.1	Comparison of <code>eepic</code> with <code>eepicemu</code>	306
15.2	Title page of a pdfscreen document	341
B.1	The \TeX Live welcome	383
B.2	The \TeX Live documentation browser	384
B.3	The TDS directory tree	388
B.4	Partial directory tree of CTAN servers	390
E.1	Example of \TeX 4ht and <code>techexplorer</code> output	482
H.1	Single column page format	602
H.2	Double column page format	603
H.3	Format of the <code>list</code> environment	604

Part I

Basics

Introduction

1.1 Just what is L^AT_EX?

To summarize very briefly:

- L^AT_EX is a comprehensive set of markup commands used with the powerful typesetting program T_EX for the preparation of a wide variety of documents, from scientific articles, reports, to complex books.
- L^AT_EX like T_EX is an open software system, available free of charge. Its core is maintained by the L^AT_EX3 Project Group but it also benefits from extensions written by hundreds of user/contributors, with all the advantages and disadvantages of such a democracy.
- A L^AT_EX document consists of one or more source files containing plain text characters, the actual textual content plus markup commands. These include instructions which can insert graphical material produced by other programs.
- It is processed by the T_EX program to produce a binary file in DVI (*device independent*) format, containing precise directions for the typesetting of each character. This in turn can be viewed on a monitor, or converted into printer instructions, or some other electronic form such as PostScript, HTML, XML, or PDF.
- A variant on the T_EX program called pdfT_EX produces PDF output directly from the source file without going through the DVI intermediary. With this, L^AT_EX can automatically include internal links and bookmarks with little or no extra effort, plus PDF buttons and external links, in addition to graphics in a wide range of common formats.
- T_EX activities are coordinated by the T_EX Users Group, TUG (www.tug.org) who distribute a set of CDs, called T_EXLive, annually to its

members, containing a T_EX/L^AT_EX installation for various computer types.

The rest of this book attempts to fill in the gaps in the above summary. With the help of the included T_EXLive CD for Windows, Macintosh, and Linux, which also contains a directory specific to this book (`\books\Kopka_and_Daly\`), we hope that the user will have additional pleasure in learning the joys of L^AT_EX.

1.2 Markup Languages

1.2.1 Typographical markup

In the days before computers, an author would prepare a *manuscript* either by hand or by typewriter, which he or she would submit to a publisher. Once accepted for publication (and after several rounds of corrections and modifications, each requiring a rewrite of the paper manuscript), it would be sent to a copy editor, a human being who would decorate the manuscript with *markup*, marginal notes that inform the typesetter (another human being) which fonts and spacings and other typographical features should be used to convert it to the final printed form that one expects of books and articles.

Electronic processing of text today follows a similar procedure, except that the humans have been replaced by computer programs. (So far the author has avoided this fate, but they are working on it.) The markup is normally included directly in the manuscript in such a way that it is converted immediately to its output form and displayed on the computer monitor. This is known as WYSIWYG, or ‘what you see is what you get’.

However, what you see is not always what you’ve got. An alternative that is used more and more by major publishers is *markup languages*, in which the raw text is interspersed with indicators ‘for the typesetter.’ The result as seen on the monitor is much the same as a typewritten manuscript, except that the markup is no longer abbreviated marginal notes, but cryptic code within the actual text. This *source text*, which can be prepared by a simple, dumb *text editor* program, is converted into typographically set output by a separate program.

For example, to code the line

He took a **bold step** forward.

with HTML, the classical markup language of the World Wide Web, one enters in the source text:

He took a `bold step` forward.

In Plain T_EX, the same sentence would be coded as:

He took a `{\bf bold step}` forward.

The first example is to be processed (displayed) by a Web browser program that decides to set everything between `` and `` as bold face. The second example is intended for the \TeX program (Section 1.3). The markup in these two examples follow different rules, different syntax, but the functionality is the same.

1.2.2 Logical markup

The above examples illustrate *typographical markup*, where the inserted commands or tags give direct instructions to alter the appearance of the output, here a change of font. An alternative is to indicate the purpose of the text. For example, HTML recognizes several levels of headings; to place a title into the highest level one enters:

```
<h1>Logical Markup</h1>
```

The equivalent \LaTeX entry would be:

```
\section{Logical Markup}
```

With this *logical markup*, the author concentrates entirely on the content and leaves the typographical considerations to the experts. One merely marks the structure of the document, and has no means of controlling how the logical elements, like section titles, are to be rendered typographically. This information is put into HTML style sheets or \LaTeX classes and packages, which are external to the actual source file. This means that the entire layout of a document can be overhauled with only minimal or even no alterations to the source file.

Today much effort is being put into XML, the Extensible Markup Language, as the ultimate markup system, since it allows the markup, or tags, to be defined as needed, without any indication of how they are to be implemented. That is left to XSL, the Extensible Stylesheet Language. It must be emphasized that neither XML nor XSL are programs at all; they are specifications for how documents and databases may be marked up, and how the markup tags may be translated into real output. Programs still need to be found to do the actual job.

And that is the fundamental idea behind markup languages: that the source text indicates the logical structure of its contents. Such source files, being written in plain ASCII text, are extremely robust, not being married to any particular software package or computer type.

What does all this have to do with \LaTeX ? In the next Section we outline the development of \TeX and \LaTeX , and go on to show that \LaTeX , a product of the mid 1980's, is a programmable markup language that is ideally suited for the modern world of electronic publishing.

1.3 T_EX and its offspring

The most powerful formatting program for producing book quality text of scientific and technical works is that of Donald E. Knuth (Knuth, 1986a, 1986b, 1986c, 1986d, 1986e). The program is called T_EX, which is a rendering in capitals of the Greek letters τ_εχ. For this reason the last letter is pronounced not as an x, but as the *ch* in Scottish *loch* or German *ach*, or as the Spanish *j* or Russian *kh*. The name is meant to emphasize that the printing of mathematical texts is an integral part of the program and not a cumbersome add-on. In addition to T_EX, the same author has developed a further program called METAFONT for the production of character fonts. The standard T_EX program package contains 75 fonts in various design sizes, each of which is also available in up to eight magnification steps. All these fonts were produced with the program METAFONT. With additional applications, further character fonts have been created, such as for Cyrillic, Chinese, and Japanese, with which texts in these alphabets can be printed in book quality.

The T_EX program is free, and the source code is readily available. Anybody may take it and modify it as they like, provided they call the result something other than T_EX. This indeed has occurred, and several T_EX variants do exist, including pdfT_EX which we deal with later in this Chapter. Only Knuth is allowed to alter T_EX itself, which he does only to correct any obvious bugs. Otherwise, he considers T_EX to be completed; the current version number is 3.14159, and with his death, the code will be frozen for all time, and the version number will become exactly π.

1.3.1 The T_EX program

The basic T_EX program only understands a set of very primitive commands that are adequate for the simplest of typesetting operations and programming functions. However, it does allow more complex, higher-level commands to be defined in terms of the primitive ones. In this way, a more user-friendly environment can be constructed out of the low-level building blocks.

During a processing run, the program first reads in a so-called *format file* which contains the definitions of the higher-level commands in terms of the primitive ones, and which also contains the hyphenation patterns for word division. Only then does it read in the author's *source file* containing the actual text to be processed, including formatting commands that are predefined in the format file.

Creating new formats is something that should be left to very knowledgeable programmers. The definitions are written to a source file which is then processed with a special version of the T_EX program called *initex*. It stores the new format file in a compact manner so that it can be read in quickly by the regular T_EX program.

Although the normal user will almost never write such a format, he or she may be presented with a new format source file that will need to be installed with `initex`. For example, this is just what must be done to upgrade L^AT_EX periodically. How to do this is described in Appendix B.

1.3.2 Plain T_EX

Knuth has provided a basic format named *Plain T_EX* to interact with T_EX at its simplest level. This is such a fundamental part of T_EX processing that one tends to forget the distinction between the actual processing program T_EX and this particular format. Most people who claim to ‘work only with T_EX’ really mean that they only work with Plain T_EX.

Plain T_EX is also the basis of every other format, something that only reinforces the impression that T_EX and Plain T_EX are one and the same.

1.3.3 L^AT_EX

The emphasis of Plain T_EX is still very much at the typesetter’s level, rather than the author’s. Furthermore, the exploitation of all its potential demands considerable experience with programming techniques. Its application thus remains the exclusive domain of typographic and programming professionals.

For this reason, the American computer scientist Leslie Lamport has developed the L^AT_EX format (Lamport, 1985), which provides a set of higher-level commands for the production of complex documents. With it, even the user with no knowledge of typesetting or programming is in a position to take extensive advantage of the possibilities offered by T_EX, and to be able to produce a variety of text outputs in book quality within a few days, if not hours. This is especially true for the production of complex tables and mathematical formulas.

As pointed out in Section 1.2.2, L^AT_EX is very much more a *logical* markup language than the original Plain T_EX, on which it is based. It contains provisions for automatic running heads, sectioning, tables of contents, cross-referencing, equation numbering, citations, floating tables and figures, without the author having to know just how these are to be formatted. The layout information is stored in additional *class files* which are referred to but not included in the input text. The predefined layouts may be accepted as they are, or replaced by others with minimal changes to the source file.

Since its introduction in the mid-1980s, L^AT_EX has been periodically updated and revised, like all software products. For many years the version number was fixed at 2.09 and the revisions were only identified by their dates. The last major update occurred on December 1, 1991, with some minor corrections up to March 25, 1992, at which point L^AT_EX 2.09 became frozen.

1.3.4 L^AT_EX 2_ε

The enormous popularity of L^AT_EX and its expansion into fields for which it was not originally intended, together with improvements in computer technology, especially dealing with cheap but powerful laser printers, had created a diversity of formats bearing the L^AT_EX label. In an effort to re-establish a genuine, improved standard, the L^AT_EX3 Project was set up in 1989 by Leslie Lamport, Frank Mittelbach, Chris Rowley, and Rainer Schöpf. Their goal was to construct an optimized and efficient set of basic commands complemented by various *packages* to add specific functionality as needed.

As the name of the project implies, its aim is to achieve a version 3 for L^AT_EX. However, since that is the long-term goal, a first step towards it was the release of L^AT_EX 2_ε in mid-1994 together with the publication of the second edition of Lamport's basic manual (Lamport, 1994) and of an additional book (Goossens *et al.*, 1994) describing many of the extension packages available and L^AT_EX programming in the new system. Since then, two further books have appeared, Goossens *et al.* (1997) dealing with the inclusion of graphics and color, and Goossens and Rahtz (1999) explaining how L^AT_EX may be used with the World Wide Web. Both these topics are also dealt with in this Guide.

Initially updates to L^AT_EX 2_ε were issued twice a year, in June and December, but it has now become so stable that since 2000 the changes are released only once a year, nominally in June.

L^AT_EX 2_ε is now the standard version, and L^AT_EX 2.09 is considered obsolete, although source files intended for the older version may still be processed with the newer one. In this book, unless otherwise indicated, 'L^AT_EX' will always mean L^AT_EX 2_ε.

1.3.5 T_EX fonts

T_EX initially made use of its own set of fonts, called Computer Modern generated by Knuth's METAFONT program. The reason for doing this was that printers at that time (and even today) may contain their own preloaded fonts, but they are often slightly different from printer to printer. Furthermore, they lacked the mathematical character sets that are essential to T_EX's main hallmark, mathematical typesetting. So Knuth created pixel fonts that could be sent to every printer ensuring the same results everywhere.

Today the situation with fonts has changed dramatically. Outline fonts (also known as type 1 fonts) are more compact and versatile than the pixel fonts (type 3). They also have a far superior appearance and are drawn much faster in PDF files. The original Computer Modern fonts have been converted to outline fonts, but there is no reason to stick with them, except possibly for the mathematical symbols. It is L^AT_EX 2_ε with its New

Font Selection Scheme that freed T_EX from its rigid marriage to Computer Modern.

Fonts are discussed in more detail in Appendix G.

1.3.6 The L^AT_EX bazaar: user contributions

Like the T_EX program on which it relies, L^AT_EX is freeware. There may be a prejudice that what is free is not worth anything, but there are other examples in the computer world to contradict this statement. And since the L^AT_EX macros are provided in files containing plain text, there is no problem to exchange, modify, and supplement them. In other words, the user can participate in extending the basic L^AT_EX system.

Taking advantage of a mechanism in L^AT_EX 2.09 that allowed options to the default layouts to be contained in so-called *style option files*, many users began writing their own ‘options’ to provide additional features to the basic L^AT_EX. They then made these available to other users via the Internet. Many were intended for very specific problems, but many more proved to be of such general usefulness that they have become part of the standard L^AT_EX installation. In this way, the users themselves have built up a system that meets their needs.

With L^AT_EX 2_ε, these user contributions acquired official status: they became known as *packages*, they could be entered directly into the document and not by the back door, guidelines were issued for writing them, and additional commands were introduced to assist package programming. Package files bear the extension *.sty* from L^AT_EX 2.09 days, so that the older style option files may still function as packages today.

Those packages that have established themselves as indispensable for sophisticated L^AT_EX processing are described in this book in those sections where they are most relevant. This does not imply that other packages are less worthwhile, but simply that this book does have to make a selection. Many other packages are described fully in *The L^AT_EX Companion* (Goossens *et al.*, 1994) and it would go beyond the bounds of this book to reproduce it here.

1.3.7 L^AT_EX and electronic publishing

The most significant development in computer usage in the last decade is the rise of the World Wide Web (or the hijacking of the Internet by the glitzy society). L^AT_EX makes its own contribution here with

- programs to convert L^AT_EX files to HTML (Appendix E);
- means of creating PDF output, with hypertext features such as links, bookmarks, active buttons (Chapter 10);

- interfacing to XML both by acting as an engine to render XML documents and with programs to convert L^AT_EX to XML and vice versa (Appendix E).

All these forms of electronic publishing are alternatives to traditional paper output. We do not expect paper to disappear entirely so quickly, but it is rapidly being replaced by electronic forms, which can always reproduce the paper whenever needed.

1.4 How to use this book

This *Guide* is meant to be a mixture of textbook and reference manual. It explains all the essential elements of the current standard L^AT_EX 2_ε, but compared to L^AT_EX 2_ε (Lamport (1985, 1994)), it goes into more detail, offers more examples and exercises, and describes many ‘tricks’ based on the authors’ experiences. It explains not only the core L^AT_EX installation, but also many of the contributed packages that have become essential to modern L^AT_EX processing, and thus quasi-standard. We necessarily have to be selective, for we cannot go to the same extent as *The L^AT_EX Companion* (Goossens *et al.*, 1994), *The L^AT_EX Graphics Companion* (Goossens *et al.*, 1997), and *The L^AT_EX Web Companion* (Goossens and Rahtz, 1999), which are still valid *companions* to this book.

The first part of the book is entitled *The Basics*, and deals with the more fundamental aspects of L^AT_EX: inputting text and symbols, document organization, lists and tables, entering mathematics, and customizations by the user. The second part is called *Beyond the Basics*, meaning it presents concepts which may be more advanced but which are still essential to producing complex, sophisticated documents. The distinction is rather arbitrary. Finally, the appendices contain topics that are not directly part of L^AT_EX itself, but useful for understanding its applications: installation, error messages, creating packages, World Wide Web, fonts. Appendix H is an alphabetized summary of most of the commands and their use, cross-referenced to their locations in the main text.

1.4.1 Some conventions

In the description of command syntax, typewriter type is used to indicate those parts that must be entered exactly as given, while *italic* is reserved for those parts that are variable or for the text itself. For example, the command to produce tables is presented as follows:

```
\begin{tabular}{col_form}    lines    \end{tabular}
```

The parts in typewriter type are obligatory, while *col_form* stands for the definition of the column format that must be inserted here. The allowed

values and their combinations are given in the detailed descriptions of the commands. In the above example, *lines* stands for the line entries in the table and are thus part of the text itself.

Package: Sections describing a package, an extension to basic L^AT_EX, have the name of that package printed as a marginal note, as demonstrated here for this paragraph. In this way, you are reminded that you must include it with `\usepackage` (Section 3.1.2) in order to obtain the additional features. Without it, you are likely to get an error message about undefined commands.



Sections of text that are printed in a smaller typeface together with the boxed exclamation mark at the left are meant as an extension to the basic description. They may be skipped over on a first reading. This information presents deeper insight into the workings of L^AT_EX than is necessary for everyday usage, but which is invaluable for creating more refined control over the output.

1.5 Basics of a L^AT_EX file

1.5.1 Text and commands

The *source file* for L^AT_EX processing, or simply the *L^AT_EX file*, contains the *source text* that is to be processed to produce the printed output. Splitting the text up into lines of equal width, formatting it into *paragraphs*, and breaking it into *pages* with page numbers and running heads are all functions of the processing program and not of the input text itself.

For example, words in the source text are strings of letters terminated by some non-letter, such as *punctuation*, *blanks*, or *end-of-lines* (*hard* end-of-lines, ones that are really there, not the *soft* ones that move with the window width); whereas punctuation marks will be transferred to the output, blanks and end-of-lines merely indicate a gap between words. Multiple blanks in the input, or blanks at the beginning of a line, have no effect on the interword spacing in the output.

Similarly, a new paragraph is indicated in the input text by an empty line; multiple empty lines have the same effect as a single one. In the output, the paragraph may be formatted either by indentation of the first line, or by extra interline spacing, but this is not affected in any way by the number of blank lines or extra spaces in the input.

The source file contains more than just text, however; it is also interspersed with markup commands that control the formatting or indicate the structure. It is therefore necessary for the author to be able to recognize what is text and what is a command. Commands consist either of certain single characters that cannot be used as text characters, or of words preceded immediately by a special character, the backslash (`\`).

The syntax of source text is explained in detail in Chapter 2.

1.5.2 Contents of a L^AT_EX source file

Every L^AT_EX file contains a *preamble* and a *body*.

The preamble is a collection of commands that specify the global processing parameters for the following text, such as the paper format, the height and width of the text, the form of the output page with its pagination and automatic page heads and footlines. As a minimum, the preamble must contain the command `\documentclass` to specify the document's overall processing type. This is the first command in the preamble.

If there are no other commands in the preamble, L^AT_EX selects standard values for the line width, margins, paragraph spacing, page height and width, and much more. By default, these specifications are tailored to the American norms. For European requirements, built-in options exist to alter the text height and width to the A4 standard. Furthermore, there are language-specific packages to translate certain headings such as 'Chapter' and 'Abstract'.

The preamble ends with `\begin{document}`. Everything that follows this command is interpreted as *body*. It consists of the actual text mixed with markup commands. In contrast to those in the preamble, these commands have only a local effect, meaning they apply only to a part of the text, such as *indentation*, *equations*, temporary change of *font*, and so on. The body ends with the command `\end{document}`. This is normally the end of the file as well.

The general syntax of a L^AT_EX file is as follows:

```
\documentclass[options]{class}
  Further global commands and specifications
\begin{document}
  Text mixed with additional commands of local effect
\end{document}
```

The possible *options* and *classes* that may appear in the `\documentclass` command are presented in Section 3.1.1.

A minimal L^AT_EX file named `hi.tex` contains just the following lines:

```
\documentclass{article}
\begin{document}
  Hi!
\end{document}
```

1.5.3 Extending L^AT_EX with packages

Packages are a very important feature of L^AT_EX. These are extensions to the basic L^AT_EX commands that are written to files with names that end in `.sty` and are loaded with the command `\usepackage` in the preamble. Packages can be classified by their origin:

- [*download Presumed Guilty: Casey Anthony: The Inside Story*](#)
- [**click Greek Fortifications of Asia Minor 500-130 BC: From the Persian Wars to the Roman Conquest \(Fortress, Volume 90\)**](#)
- [download online Alexander's Path](#)
- [Avenger \(Boy Soldier, Book 3\) \(UK Edition\) pdf, azw \(kindle\), epub](#)
- [The Best of Isaac Asimov pdf, azw \(kindle\), epub](#)
- [The Fiend and the Forge \(The Tapestry, Book 3\) book](#)

- <http://schroff.de/books/This-Idea-Must-Die--Scientific-Theories-That-Are-Blocking-Progress--Edge-Question-Series-.pdf>
- <http://www.cafesystemcanarias.com/books/Greek-Fortifications-of-Asia-Minor-500-130-BC--From-the-Persian-Wars-to-the-Roman-Conquest--Fortress--Volume-90-.>
- <http://nexson.arzamashev.com/library/Reaper-Man--Discworld--Book-11---UK-Edition-.pdf>
- <http://xn--d1aboelcb1f.xn--p1ai/lib/The-Dead-Celebrity-Cookbook--A-Resurrection-of-Recipes-from-More-Than-145-Stars-of-Stage-and-Screen.pdf>
- <http://dadhoc.com/lib/The-Best-of-Isaac-Asimov.pdf>
- <http://nexson.arzamashev.com/library/The-Consultant---s-Quick-Start-Guide--An-Action-Plan-for-Your-First-Year-in-Business--2nd-Edition-.pdf>